

**CURRICULUM VITAE**

December, 2007

Frederick S. vom Saal

**TITLE** Curators' Professor, Division of Biological Sciences, University of Missouri**DATE AND PLACE OF BIRTH** January 17, 1945; New York City**BUSINESS ADDRESS** 105 Lefevre Hall  
Division of Biological Sciences  
University of Missouri-Columbia  
Columbia, MO 65211  
Office: 573-882-4367  
FAX: 573-884-5020  
vomsaal@biosci.mbp.missouri.edu**EDUCATION** Ph.D. 1976 Rutgers University  
New Brunswick, NJ  
Area of Study: NeurobiologyM.S. 1974 Rutgers University  
New Brunswick, NJ  
Area of Study: NeurobiologyB.A. 1969 New York University  
Washington Square College, N.Y.  
Area of Study: Psychobiology**PUBLICATIONS (1990 - present)**

Rohde-Parfet, K., Ganjam, V., Lamberson, W. Rieke, A., vom Saal, F. and Day, B. Intrauterine position effects in female swine: subsequent reproductive performance, and social and sexual behavior. *Applied Anim. Behav. Sci.*, 26:349-362, 1990.

Rohde-Parfet, K., Lamberson, W. Rieke, A., Cantley, T. Ganjam, V., vom Saal, F. and Day, B. Intrauterine position effects in male and female swine: subsequent survivability, growth rate, morphology and serum characteristics. *J. Anim. Sci.*, 68:179-185, 1990.

Perrigo, G., Bryant, W. and vom Saal, F. A unique neural timing system prevents male mice from harming their own offspring. *Anim. Behav.*, 39:535-539, 1990.

vom Saal, F., Quadagno, D., Even, M., Keisler, L., Keisler, D., and Khan, S. Paradoxical effects of maternal stress on fetal steroids and postnatal reproductive traits in female mice from different intrauterine positions. *Biol. Reprod.*, 43:751-761, 1990.

Perrigo, G., Belvin, L. and vom Saal, F. Humane behavioral assays in the laboratory: An alternative test for assessing how rodents behave toward young. *Humane Innovations and Alternatives in Animal Experimentation*: 4: 208-209, 1990.

Clark, M., Galef, B. and vom Saal, F. Nonrandom sex composition of gerbil, mouse and hamster litters before and after birth. *Develop. Psychobiol.*, 24: 81-90, 1991.

vom Saal, F.S. Prenatal gonadal influences on mouse sociosexual behaviours. In M. Haug, P.F. Brain, and C. Aron, (Eds.). *Heterotypical Behaviour in Man and Animals*. Chapman and Hall, London, pp. 42-70, 1991.

Montano, M., Wang, M., Even, M. and vom Saal, F. Serum corticosterone in fetal mice: Sex differences, circadian changes, and effect of maternal stress. *Physiol. Behav.* 50: 323-329, 1991.

Keisler, L., vom Saal, F., Keisler, D. and Walker, S. Hormonal manipulation of the prenatal environment alters reproductive morphology and increases longevity in autoimmune NZB/W mice. *Biol. Reprod.* 44: 707-716, 1991.

vom Saal, F., Even, M. and D. Quadagno, D. Effects of maternal stress on puberty, fertility and aggressive behavior of female mice. *Physiol. Behav.*, 49: 1073-1078, 1991.

Perrigo, G., Belvin, E. and vom Saal, F. Individual variation in neural timing of infanticide and parental behaviour in male mice. *Physiol. Behav.* 50: 287-296, 1991.

Even, M. and vom Saal, F. Seminal vesicle and preputial gland response to steroids in adult male mice is influenced by prior intrauterine position. *Physiol. Behav.*, 51:11-16, 1992.

Perrigo, G., Belvin, E. and vom Saal, F. Time and sex in the male mouse: Temporal regulation of infanticide and parental behavior. *Chronobiol. Int.*, 9:421-433, 1992.

Clark, M.M., vom Saal, F.S. and Galef, B.G. Intrauterine positions and testosterone levels of adult male gerbils are correlated. *Physiol. Behav.* 51:957-960, 1992.

vom Saal, F.S. and Dhar, M. D. Blood flow in the uterine loop artery and loop vein is bi-directional in the mouse: Implications for intrauterine transport of steroids. *Physiol.*

Behav., 52: 163-171, 1992.

vom Saal, F.S., Montano, M.M. and Wang, H-S. Sexual differentiation in mammals. In: Chemically Induced Alterations in Sexual and Functional Development: The Wildlife-Human Connection. T. Colborn and C. Clement (Eds), Princeton Scientific Pub., Princeton, N.J., pp. 17-83, 1992.

Even, M.D., Dhar, M. and vom Saal, F.S. Transport of steroids between fetuses via amniotic fluid in relation to the intrauterine position phenomenon in rats. J. Reprod. Fertil. 96:709-716, 1992.

Zielinski, W.J. vom Saal, F.S. and Vandenberg, J.G. The effect of intrauterine position on the survival, reproduction and home range size of female mouse mice (*Mus musculus*). Behav. Ecol. Sociobiol. 30:185-191, 1992.

Nonneman, D.J., Ganjam, V.K., Welshons, W.V., vom Saal, F.S. Intrauterine position effects on steroid metabolism and steroid receptors of reproductive organs in male mice. Biol. Reprod. 47:723-729, 1992.

Perrigo, G., Belvin, E. and vom Saal, F. Social inhibition of infanticide in male house mice. Ecol. Ethol. Evol. 5:181-185, 1993.

Clark, M.M., Bishop, A.M., vom Saal, F.S. and Galef, B.G. Responsiveness to testosterone of adult male gerbils from known intrauterine positions. Physiol. Behav. 53:1183-1187, 1993.

Perrigo, G., Belvin, L., Quindry, P., Kadir, T., Becker, J., van Look, C., Niewoehner, J. and vom Saal, F. Genetic mediation of infanticidal and parental behavior in male and female domestic and wild stock house mice. Behav. Genetics 23:525-531, 1993.

Colborn, T., vom Saal, F.S. and Soto, A.M. Developmental effects of endocrine disrupting chemicals in wildlife and humans. Environ. Health Perspectives 101:378-384, 1993.

Montano, M., Wang, M. vom Saal, F. Sex difference in serum concentrations of corticosterone in mouse fetuses is mediated by differential placental transport from the mother and eliminated by maternal adrenalectomy of stress. J. Reprod. Fertil. 99: 283-290, 1993.

Even, M.D., Laughlin, M.H., Krause, G.F. and vom Saal, F.S. Blood flow to uterine segments and placentae differs as a function of uterine location, side, and fetal sex in pregnant rats. J. Reprod. Fertil., 102:245-252, 1994.

vom Saal, F. The role of social, religious and medical practices in the neglect, abuse, abandonment and killing of infants. In: *Infanticide and Parental Care*. S. Parmigiani and F. vom Saal (Eds). Harwood Academic Press, London, 43-72, 1994.

Perrigo, G. and vom Saal, F. Behavioral Cycles and the neural timing of infanticide and parenting in mice. In: *Infanticide and Parental Care*. S. Parmigiani and F. vom Saal (Eds). Harwood Academic Press, London, pp. 365-396, 1994.

Parmigiani, S. and vom Saal, F. *Infanticide and Parental Care*. Harwood Academic Press, London, 1994.

Palanza, P., Parmigiani, S. and vom Saal, F.S. Maternal aggression toward infanticidal males of different social status in wild house mice. *Aggressive Behavior* 20:267-274, 1994.

vom Saal, F.S., Finch, C.E. and Nelson, J.F. Natural history and mechanisms of aging in humans, laboratory rodents and other selected vertebrates. In: *Physiology of Reproduction*, E. Knobil, J. Neill and D. Pfaff (Eds.), Raven Press, New York, 2nd edition, Vol 2, pp 1213-1314, 1994.

Palanza, P., Parmigiani, S. and vom Saal, F.S. Male urinary cues stimulate intrasexual aggression and urine marking in wild female mice. *Animal Behaviour* 48:245-247, 1994.

vom Saal, F.S., Nagel, S.C., Palanza, P., Boechler, M., Parmigiani, S. Welshons, W. Estrogenic pesticides: binding relative to estradiol in MCF-7 cells and effects of exposure during fetal life on subsequent territorial behavior in male mice. *Tox. Let.* 77:343-350, 1995.

Drickamer, L.C., vom Saal, F.S., Marriner, L.M. and Clover, C. Anogenital distance and aggression in male house mice (*Mus domesticus*). *Aggressive Behav.*, 21:301-309, 1995.

Palanza, P., Parmigiani, S. and vom Saal, F.S. Correlation between anogenital distance at birth, maternal aggression and stimulus characteristics of wild female mice. *Physiol. Behav.* 58: 827-835, 1995.

vom Saal, F.S. Environmental estrogenic chemicals: Their impact on embryonic development. *Human Ecol. Risk Assess (HERA)* 1(2):3-15, 1995.

vom Saal, F.S., Franks, P., Boechler, M., Palanza, P. and Parmigiani, S. Nest defense in highly aggressive wild canadian house mice: Effect of presence of the stud male. *Physiol. Behav.*, 58:669-678, 1995.

Keisler, L.W., vom Saal, F.S., Keisler, D.H., Rudeen, P.K. and Walker, S.E. Aberrant hormone balance in fetal autoimmune NZB/W mice following prenatal exposure to testosterone excess or the androgen blocker flutamide. *Biol. Reprod.* 53:1190-1197, 1995.

Montano, M.M., Welshons, W.V. and vom Saal, F.S. Free estradiol in serum and brain uptake of estradiol during fetal and neonatal sexual differentiation in female rats. *Biol. Reprod.*, 53:1198-1207, 1995.

Walker, S.E., Keisler, L.W., Caldwell, C.W., Kier, A.B. and vom Saal, F.S. Effects of altered prenatal hormonal environment on expression of autoimmune disease in NZB/NZW mice. *Environ. Health Perspect.* 104:815-821, 1996.

Nagel, S.C., vom Saal, F.S., Thayer, K.A., Dhar, M.G., Boechler, M. and Welshons, W.V. Relative binding affinity-serum modified access (RBA-SMA) assay predicts the relative *in vivo* bioactivity of the xenoestrogens bisphenol A and octylphenol. *Environ. Health Perspect.* 105:70-76, 1997.

vom Saal, F.S., Timms, B.G., Montano, M.M., Palanza, P. Thayer, K.A., Nagel, S.C., Dhar, M.D., Ganjam, V.K., Parmigiani, S. and Welshons, W.V. Prostate enlargement in mice due to fetal exposure to low doses of estradiol or diethylstilbestrol and opposite effects at high doses. *Proc. Nat. Acad. Sci.*, 94:2056-2061, 1997.

Welshons, W.V., vom Saal, F.S. and Nagel, S.C. Bisphenol A in food cans: An Update. *Environ. Health Perspect.* 105:571-572, 1997.

Sheehan, D.M. and vom Saal, F.S. Low dose effects of hormones: A challenge for risk assessment. *Risk Policy Report* 4(9) 31-39, 1997.

Parmigiani S., vom Saal FS, & Palanza P. Social and individual behavior of mice prenatally exposed to endocrine disrupting chemicals. In: A. Gies, C. Gottschalk & A. Wenzel "Effects of endocrine disrupters in the environment on neuronal development and behaviour". pp. 6-15. EPA Publ., Berlin. 1997.

vom Saal, F.S. Getting to the truth: What we know and don't know about the hazards of endocrine disrupting chemicals. *Pesticides and You* 17:9-16, 1997.

Parmigiani, S., Palanza, P. and vom Saal, F.S. Ethotoxicology: An evolutionary approach to the study of environmental endocrine disrupting chemicals. *J. Toxicol. Industrial Health* 14:333-340, 1998.

vom Saal, F.S., Cooke, P.S., Palanza, P., Thayer, K.A., Nagel, S., Parmigiani, S. and Welshons, W.V. A physiologically based approach to the study of bisphenol A and other estrogenic chemicals on the size of reproductive organs, daily sperm production and behavior. *Toxicol. Industrial Health*, 14:239-260, 1998.

vom Saal, F.S. Man-made chemicals and the health of the unborn. *Earth Ethics* 9:20-22, 1998.

Nagel, S.C., vom Saal, F.S. And Welshons, W.V. The effective free fraction of estradiol and xenoestrogens in human serum measured by whole cell uptake assays: Physiology of delivery modifies estrogenic activity. *Proc. Soc. Exp. Biol. Med.* 217:300-309, 1998.

vom Saal, F.S. and Sheehan, D.M. Challenging risk assessment. *Forum for Applied Research and Public Policy*, 13(3):11-18, 1998.

vom Saal, F.S., Welshons, W.V. and Hansen, L.G. Organochlorines and breast cancer: Letter to the editor. *New Engl. J. Med.* 338(14):988, 1998.

Sheehan, D.M. and vom Saal, F.S. Low dose effects of estrogens are inconsistent with standard safety test design for chemical toxicity. *Kagaku* 68:569-575, 1998.

vom Saal, F.S., Clark, M.M., Galef, B.G., Drickamer, L.C. and Vandenberg, J.G. The intrauterine position (IUP) phenomenon. In: *Encyclopedia of Reproduction*. Eds E. Knobil and J. Neill. Academic Press, New York, Volume 2, pp. 893-900, 1999.

Timms, B.G., Petersen, S.L. and vom Saal, F.S. Prostate gland growth during development is stimulated in both male and female rat fetuses by intrauterine proximity to female fetuses. *J. Urol.* 161:1694-1701, 1999.

vom Saal, F.S. and Timms, B.G. The role of natural and manmade estrogens in prostate development. In: R.K. Naz, ed. *Endocrine Disruptors: Effects on Male and Female Reproductive Systems*. CRC Press, Boca Raton, FL, 307-327, 1999.

Palanza, P., Parmigiani, S., Huifen Liu, H. and vom Saal, F.S. Prenatal exposure to low doses of the estrogenic chemicals diethylstilbestrol and o,p'-DDT alters aggressive behavior of male and female house mice. *Pharmacology Biochemistry and Behavior* 64:665-672, 1999.

Nagel, S.C., vom Saal, F.S. And Welshons, W.W. Developmental effects of estrogenic chemicals are predicted by an *in vitro* assay incorporating modification of cell uptake by serum. *J. Steroid Biochem. Mol. Biol.* 69:343-357, 1999.

Welshons, W.V., Nagel, S.C., Kristina A. Thayer, K.A., Judy, B.M. and vom Saal, F.S. Development of *in vitro* assays to predict activity of xenoestrogens in animals: fetal exposure to methoxychlor and other xenoestrogens increases adult prostate size in mice. *Tox. Ind. Health*, 15:12-25, 1999.

Bigsby, R. Chapin, R., Daston, G., Davis, B., Gorski, J., Gray, E., Howdeshell, K. Zoeller, T. and vom Saal, F. Evaluating the effects of endocrine disruptors on endocrine function during development. *Environ. Health Perspect.* 107 (Suppl 4):613-618, 1999.

vom Saal, F.S. Low dose effects of endocrine disruptors. Proceedings of the International Symposium on Environmental Endocrine Disruptors, Japanese Environmental Agency Report, 1999.

Palanza, P. Morellini, F., Parmigiani, S. and vom Saal, F.S. Prenatal exposure to endocrine disrupting chemicals: Effects on behavioral development. *Neurosci. Biobeh. Rev.* 23:1011-1027, 1999.

Howdeshell, K.L., Hotchkiss, A.K., Thayer, K.A., Vandenberg, J.G. and vom Saal, F.S. Exposure to bisphenol A advances puberty. *Nature* 401:763-764, 1999.

Parmigiani, S. Palanza, P. and vom Saal, F.S. Ethotoxicology: An evolutionary approach to behavioral toxicology. In: *Environmental Endocrine Disruptors: An Evolutionary Perspective*. Eds. L.J. Guillette D.A. Crain, Taylor and Francis Publishers, New York, 217-233, 1999.

Howdeshell, K.L. and vom Saal, F.S. Developmental exposure to bisphenol A: Interaction with endogenous estradiol during pregnancy in mice. *American Zoologist* 40: 429-437, 2000.

ang, M-S. and vom Saal, F.S. Maternal age influences traits in offspring. *Nature*, 407:469-470, 2000.

vom Saal, F.S. and Welshons, W.V. NIH panel confirms that endocrine disrupting chemicals cause effects at very low doses. *Risk Policy Report* 7:47-50, 2000.

Thayer, K.A., R. Ruhlen, R., Howdeshell, K.L., Buchanan, D., Cooke, P.S., Welshons, W.V., Haseman, J. and vom Saal, F.S. Altered prostate growth and daily sperm production in male mice exposed prenatally to subclinical doses of 17 $\alpha$ - ethinyl estradiol. *Human Reproduction* 16:988-996, 2001.

Swan S.H. and vom Saal, F.S. Alterations in male reproductive development: The role of endocrine disrupting chemicals. In: *Endocrine Disruptors in the Environment*. M.

Metzler, ed. Handbook of Environmental Chemistry, Vol. 3, pp. 131-170, Springer Verlag, Berlin, 2001.

Palanza, P., Parmigiani, S. and vom Saal, F.S. Effects of prenatal exposure to low doses of diethylstilbestrol, o,p'DDT and methoxychlor on postnatal growth and neurobehavioral development in male and female mice. *Horm. Behav.* 252-265, 2001.

Palanza, P. Morellini, F., Paarmigiani, S. and vom Saal, F. Ethological methods to study the effects of maternal exposure to estrogenic endocrine disrupters: A study with methoxychlor. *Neurotoxicology and Teratology* 24:55-69, 2002.

Ottinger, M.A. and vom Saal, F.S. Impact of Environmental Endocrine Disruptors on Sexual Differentiation in Birds and Mammals. In: *Hormones, Brain and Behavior*, Ed. D. Pfaff, Academic Press, New York, pp 325-383, 2002.

Timms, B.G., Peterson, R.E. and vom Saal, F.S. 2,3,7,8-Tetrachlorodibenzo-p-dioxin interacts with endogenous estradiol to disrupt prostate gland morphogenesis in male rat fetuses. *Toxicological Sciences* 67:264-274, 2002.

Palanza, P., Howdeshell, K.L., Parmigiani, S. and vom Saal, F.S. Exposure to a low dose of bisphenol A during fetal life or in adulthood alters maternal behavior in mice. *Environ. Health Perspect.* 110:415-422, 2002.

Palanza, P. and vom Saal, F.S. Effects of endocrine disrupters on behaviour and reproduction. In: *Behavioural Ecotoxicology*. G. Dell'Omo, Ed. John Wiley, New York, pp.377-407, 2002.

Alworth, L., Howdeshell, K.L., Ruhlen, R. And vom Saal, F.S. Uterine responsiveness to estradiol and DNA methylation are altered by fetal exposure to diethylstilbestrol and methoxychlor in CD-1 mice: Effects of low versus high doses. *Toxicology and Applied Pharmacology* 183:10-22, 2002.

vom Saal, F.S. Effects of fetal exposure to natural and exogenous steroids. In: *Sex Begins in the Womb*. In: *Understanding the Biology of Sex Differences: Sex Begins in the Womb*. Society for Womens Health Research, Washington, DC, 15-16, 2002.

Welshons, W.V., Thayer, K.S., Taylor, J., Judy, B. and vom Saal, F.S. Large effects from small exposures: I. Mechanisms for endocrine-disrupting chemicals with estrogenic activity. *Environ. Health Perspect.* 111: 994-1006, 2003.

Parmigiani, S., Palanza, P., Colborn, T. and vom Saal, F.S. Exposure to very low doses of endocrine disrupting chemicals (EDCs) during fetal life permanently alters brain

development and behavior in animals and humans. R. C. Ragaini, Editor, Proceedings of Conference: International Seminar on Nuclear War and Planetary Emergencies, 27th Session, Erice, Sicily, August, 2002, World Scientific Publishers, Singapore, pp. 293-308, 2003.

Rice, C., Birnbaum, L.S., Cogliano, J., Mahaffey, K., Needham, L., Rogan, W. and vom Saal, F.S. Exposure assessment for endocrine disruptors: some considerations in the design of studies. *Environ. Health Perspect.* 111:1683-1690, 2003.

Howdeshell, KL Peterman, P.H., Judy, B.M., Taylor, J.A., Orazio, C.E., Ruhlen, R.L., vom Saal, F.S. and Welshons, W.V. Bisphenol a is released from used polycarbonate animal cages into water at room temperature. *Environ. Health Perspect.* 111:1180-1187, 2003.

Nagel, S.C. and vom Saal, F.S. Endocrine control of sexual differentiation: Effects of the maternal-fetal environment and endocrine disrupting chemicals. In: *Principles of Sex-Based Physiology*, Ed. V. Miller and M. Hay. Elsevier, pp. 15-37, 2003.

Richter, C.A. and F.S. vom Saal. Dioxin interacts with estrogen and androgen response systems to disrupt prostate development. *Organohalogen Compounds* 65:63-66, 2003.

vom Saal, F.S., Richter, C.A., Ruhlen, R.R. Nagel, S.C. and Welshons, W.V. Disruption of laboratory experiments due to leaching of bisphenol a from polycarbonate cages and bottles and uncontrolled variability in components of animal feed. *Proceedings from the International Workshop on Development of Science-Based Guidelines for Laboratory Animal Care*, National Academies Press, Washington DC, 65-69, 2004.

124. Myers, J.P., Guillette, L.J., Palanza, P., Parmigiani, S., Swan, S.H. and vom Saal, F.S. The emerging science of endocrine disruption. R. C. Ragaini, Editor, Proceedings of Conference: International Seminar on Nuclear War and Planetary Emergencies, 30th Session, Erice, Sicily, August, 2003, World Scientific Publishers, Singapore, pp. 105-121, 2004.

Richter, C.A., Timms, B.G. and vom Saal, F.S. Prostate Development: Mechanisms for opposite effects of low and high doses of estrogenic chemicals. In: R.K. Naz, ed. *Endocrine Disruptors (2<sup>nd</sup> Edition): Effects on Male and Female Reproductive Systems*. CRC Press, Boca Raton, FL, 379-410, 2005.

vom Saal, F.S., Richter, C.A. Ruhlen, R.R., Nagel, S.C., Timms, B.G. and Welshons, W.V. Importance of appropriate controls, animal feed and animal models in interpreting results from low-dose studies of bisphenol A. *Birth Defects Research (Part A)* 73: 140-145, 2005.

vom Saal, F.S., Nagel, S.C., Timms, B.G. and Welshons, W.V. Implications for human health of the extensive bisphenol A literature showing adverse effects at low doses: A response to attempts to mislead the public. *Toxicology*, 212:244-252, 2005.

vom Saal, F.S., Richter, C.A., Ruhlen, R.R., Taylor, J.A., Rottinghaus, G.E. and Welshons, W.V. Commercial animal Feed: Variability in estrogenic activity and effects on body weight in mice. *Birth Defects Research (Part A)* 73:474-475, 2005.

Timms, B.G., K.L. Howdeshell, L. Barton, S. Bradley, C.A. Richter and F.S. vom Saal. Estrogenic chemicals in plastic and oral contraceptives disrupt development of the fetal mouse prostate and urethra. *Proc. Natl. Acad. Sci.*, 102: 7014-7019, 2005.

vom Saal, F.S. and Hughes, C. An extensive new literature concerning low-dose effects of bisphenol A shows the need for a new risk assessment. *Environ. Health Perspect.* 113:926-933, 2005.

vom Saal, F.S. Low-dose bisphenol A: confirmed by an extensive literature. *Chemistry and Industry* 7:14-15, 2005.

Weltje, L., vom Saal, F.S. and Oehlmann, J. Reproductive stimulation by low doses of xenoestrogens contrasts with the view of hormesis as an adaptive response. *Human and Experimental Toxicology* 24:1-7, 2005.

vom Saal, F.S. and Welshons, W.V. Large effects from small exposures: II. The importance of positive controls in low-dose research on bisphenol A. *Environmental Research* 100:50-76, 2006.

Welshons, W.V., Nagel, S.C. and vom Saal, F.S. Large effects from small exposures: III. Mechanisms mediating responses to the low doses of the plastic monomer bisphenol A. *Endocrinol.* 147:S56-S69, 2006.

vom Saal, F.S. Bisphenol A Eliminates Brain and Behavior Sex Dimorphisms in Mice. How Low Can You Go? *Endocrinol.* 147:3679-3680, 2006.

vom Saal, F.S., Kirkpatrick, J.R. and Coe, B.L. Environmental estrogens, endocrine disruption and obesity. In: *Obesity: Epidemiology, Pathophysiology and Prevention*. Editors: Debasis Bagchi and Harry G. Preuss, CRC Press, Boca Raton, FL, p 33-41. 2006.

Myers, J.P., Guillette L.J. Jr., Swan, S.H. and vom Saal, F.S. Endocrine disruptors: Overview of effects in wildlife, laboratory animals and humans. In: *Encyclopedia of Ecology*. Ed: Jorgensen, S.E., Elsevier, in press, 2007.

vom Saal, F.S., Guillette, L.J. Jr., Myers, J.P. and Swan, S.H. Endocrine disruptors: Effects in wildlife and laboratory animals. In: Encyclopedia of Ecology. Ed: Jorgensen, S.E., Elsevier, in press, 2007.

Swan, S.H. Guillette, L.J. Jr., Myers, J.P. and vom Saal, F.S. Endocrine disruptors: epidemiological studies of reproductive effects in humans. In: Encyclopedia of Ecology. Ed: Jorgensen, S.E., Elsevier, in press, 2007.

vom Saal, F.S., Taylor, J.A. Coe, B.L., Kirkpatrick, J.R. Bell, M.E. and Welshons, W.V. Leaching of bisphenol A from polycarbonate plastic disrupts development via epigenetic mechanisms. In: R. C. Ragaini, Editor, Proceedings of Conference: International Seminar on Nuclear War and Planetary Emergencies, 36th Session, Erice, Sicily, August, 2006, World Scientific Publishers, Singapore, in press, 2007.

Richter, C.A., Taylor, J.A., Ruhlen, R.R., Welshons, W.V. and vom Saal, F.S. Estradiol and bisphenol A stimulate androgen receptor and estrogen receptor gene expression in fetal mouse prostate cells. *Environ. Health Perspect.* 115:902-908, 2007.

Richter, C.R., Birnbaum, L.S., Farabollini, F., Newbold, R.R., Rubin, B.S., Talsness, C.E., Vandenberg, J.G., Walser-Kuntz, D.R. and vom Saal, F.S. In vivo effects of bisphenol A in laboratory rodent studies. *Reprod. Toxicol.* 24:199-224, 2007.

vom Saal, F.S. Could hormone residues be involved? *Human Reprod.* 22:1503-1505, 2007.

vom Saal, F.S., Akingbemi, B.T., Belcher, S.M., Birnbaum, L.S., Crain, D.A., Farabollini, F., Guillette, L.J., Hauser, R., Heindel J.J., Ho, S-M. et al. Chapel Hill expert panel consensus statement: Integration of mechanisms, effects in animals and potential to impact human health at current levels of exposure. *Reprod. Toxicol.* 24(2):131-138, 2007.

Ruhlen, R.L., Howdeshell, K.L., Mao, J., Taylor, J.A., Bronson, F.H., Newbold, R.R., Welshons, W.V. and vom Saal, F.S. Low phytoestrogen levels in feed increase fetal serum estradiol resulting in the "fetal estrogenization syndrome" and obesity in CD-1 mice. *Environ Health Perspect*, online (doi:10.1289/ehp.10448), 2007.

Heindel, J.J. and vom Saal, F.S. Batch-to-batch variability in estrogenic activity in commercial animal diets: a meeting report concerning Importance and approaches for laboratory animal research. *Environ. Health Perspect.* doi:10.1289/ehp.10524. Online 5 December 2007.

Coe, B.L., Kirkpatrick, J.R., Taylor, J.A. and vom Saal, F.S. A new "crowded uterine horn" mouse model for examining the relationship between fetal growth and adult obesity. *Basic Clin Pharmacol Toxicol.*, in press, 2008.

Taylor, J.A., Welsons W.V. and vom Saal, F.S. No Difference in Bisphenol A Pharmacokinetics after Exposure via Oral or Subcutaneous Injection in Newborn Mice. *Reprod. Toxicol.* In press, 2008.

Myers, J.P. and vom Saal, F.S. Should public health standards for endocrine-disrupting compounds be based upon 16th Century dogma or modern endocrinology? *San Francisco Medicine*, in press, 2008.

vom Saal, F.S. and Myers, J.P. The Endocrine Disrupting Chemical Bisphenol A in Plastic: The Threat Posed to Fetuses, Infants and Children at Current Levels of Human Exposure *Proceedings of Marine Debris in the Pacific Symposia*. In press, 2008.